

Dept. of Public Works

4444 Rice St., #175 Lihue, HI 96766 PH: (808) 241-4854 FAX: (808) 241-6806



Commercial Permi	t Ap	plication	Checklist
-------------------------	------	-----------	-----------

Check One: Paper		Electronic
"As-Built" Structure?	Yes	No

E-PLAN	SUBMISSION:
	Plan orientation is landscape (horizontal) for reading from left to right.
	All plans to follow prescribed naming standards (see EPR Applicant User Guide).
	Each sheet to be uploaded into EPR as a separate PDF or DWF.
	Leave a 3-inch x 3-inch blank area, on all pages, in the upper right hand corner for the APPROVED – JOB SITE COPY stamp to be inserted
	later.
	Supporting document files will be uploaded into EPR as a multi-page file.
	Bring completed permit application and this checklist to BD office to start the permit process.
	Refer to the county website <u>www.kauai.gov</u> under Licenses and Permits, Electronic Plan Review for additional information.
BUILDI	NG CODE SUMMARY: This information should be incorporated into the title sheet for easy reference.
	Occupancy Type. ☐ Type Construction.
	Means of Egress.
	Fire Resistive Requirements and fire, life and safety code analysis layout.
	ABLE CODES:
ATT LIC	- 2006 International Residential Code - 2006 International Building Code
	- 2008 National Electrical Code - 2006 Uniform Plumbing Code
	- 2006 NFPA 1 with Amendments - 2009 IECC (Energy Code)
GENER	
	A building permit application (multi-carbon) and Contractor's Statement may be obtained at BD office with all applicable items on the
	forms completed. The application and Contractor's Statement shall be signed by the permittee, his/her authorized agent, or his/her
	successor in interest, of which agent or successor may be required to prove such agency or successor.
	If the owner of record is not applying for permit, a letter of authorization from the owner <u>must</u> be submitted with the building permit
	application.
	If the Tax Map Key (TMK) cannot be verified, the applicant must go to Real Property Assessment Division to obtain the correct TMK.
	All building plans shall be designed, approved and stamped by a professional structural engineer or architect licensed and registered in
	the State of Hawai'i as required by Chapter 464, Hawai'i Revised Statutes.
	The completed building permit application and this checklist must be submitted by e-plan or by paper with six (6) sets to BD office. At
	least one set of paper plans must have the original wet stamp and signature of the design professional as per HAR 16-115-8 & 9.
	Electrical and Plumbing permit applications must be filled out (contractor information not required) and submitted for plan review.
	Be sure to include an INDEX PAGE for easy reference.
	The Energy Code Statement must be signed by the design professional and placed on the first page of the plans, or submitted separately
_	in letter to the Building Official including the identification of the building.
	Any engineering packet provided must contain a current engineer signed stamp and designed criteria.
	Identify basic wind speed and exposure category for location. Wind-borne debris regions require additional opening protections.
SITE PL	
	Must be legible, including North arrow and drawn to scale (i.e., $1'' = 20'-0''$). Provide a graphic scale for all drawings.
	Orientation of footprint matches floor plan.
	Show property line locations and existing easements with dimensions.
	Show location of proposed utilities (water, sewer, power, gas, phone, cable/broadband) with dimensions to property line and
	surrounding items.
	Show all adjacent street names.
	Show outline of existing and proposed structures with distances to property lines and between structures; setbacks (as determined by
	Planning Dept.) shall be identified with written dimensions and drawn to scale. Include any cantilevers and eaves.
	Indicate height of all structures inclusive of roof ridgelines.
	Show building and garage entrances, driveway and access from street.
	Indicate and show breakdown of building surface coverage calculations (square footage of lot, building footprint and percentage of lot

coverage). Include floor area ratio (FAR). Planning Dept. determines maximum lot coverage based on zoning.

If property is on cesspool or septic system, identify the location on the site plan. Otherwise, specify if county or private sewer system.

□ Sh □ Sh	now proposed finished grade based on spot elevations. show site drainage using arrows to indicate direction of flow low location of all easements (utility, driveway, etc.). or additions/remodels, indicate area on footprint to be alt	-	w/down-spout locations if app	olicable.
BIIIIDING	DI ANS:			
DEMOLITI	Foundation plan showing all structural elements, included Exterior elevations accurately representing building sit Detailed floor plans with square footage and systems I Floor framing: all floor framing sheets, details and bear Roof framing showing location, spacing, and sizes of rallocations. If using roof trusses provide stamped enging placement of each truss. Include engineered drag trus submitted to BD office after permit is issued. However Load/Uplift Ties inspection.) Typical building cross sections showing all foundation amain structural members, sheathing, siding, roofing an require a complete stair section indicating stair rise and details. Also include interior elevations. Lateral bracing details. Electrical layout showing room lighting, outlets, fans, estamp. Be sure to include one-line diagram(s), panel so System layout of all plumbing, heating & air conditioni diagrams. Air conditioning systems over 60,000 BTU/Happroved. Specify Complete Load Path and Uplift Ties design with Statement of Special Inspections: The construction dra Sections 1704, 1707 and 1708. The permit applicant stalicensed engineer or architect of record as a condition inspections required by this section and the qualified pons.	ding hold-down lote and grading (1 flayout. Identify & ms must match. Ifters and beams, neered details of a ses and truss brace, truss details must remain the series of t	cocations and type of fasteners for each side of building). label use of each room, space required solid blocking, and hall trusses to be used, includinging details. (NOTE: Engineer ist be submitted for review are nents including but not limite e window and door schedules earance, framing & support must be submitted for review are nents including but not limite to window and door schedules earance, framing & support must be support from the support of Healt and a complete list of special in the special inspections procedured the special inspection.	neader sizes for door & window on a layout indicating the red truss details may be not approval prior to calling for d to: floors, walls & ceiling, s. Multiple story structures nembers and handrail/guardrail requires Electrical Engineer ric or gas) with isometric h Form 1 to be submitted and espections required in 1006 IBC prepared by the registered de a complete list of special
	separate Demolition application must be submitted if you IINGE, FLOODWAY, or COASTAL HIGH HAZARD A		ior to permit approvar or the	projecti
	Iditional information will be required for permit approval nployee Participation in Plan Drafting:		neering Division for further d	etails.
	ounty of Kauai employee participate in plan drafting?			
□ Ye	es (if yes provide name and department)			
	Name			Department
By signing I	acknowledge that all information contained in this checkl	ist is true to the b	est of my knowledge.	
• .	ify that I sign this checklist personally ehalf and as agent for the landowner.)	or	OWNER	
Signature and	l Date		Signature and Date	
	e and Relationship to Project (i.e., Agent, Contractor,		Printed Name	

COUNTY OF KAUAI

ELECTRICAL PERMIT APPLICATION

WRITE IN ALL BUILDING OCCUPANCY							ZONE	SEC	PLAT	PARCEL	LOT NO.	DISTRICT				
INFORMATION NEW ADDN ALT REPAIR RELOCATION																
OWNE	R/TENA	NT						PROJECT I	OCATION:	: BLDG PERMIT NO.						
GENER	GENERAL CONTRACTOR ADDRESS								. PHONE:							
							BR	ANCH CIRC	CUITS INST	ALLATI	ON					
DESCRIP	TION			RECEPTA	CLE	LIGHTING	SPARE	RANGE	OVEN	WATER	DRYER	SWIMMING	SIGN	MOTOR OR	A/C	
				CIRCUI		CIRCUITS	CIRCUITS	CIRCUIT	CIRCUIT	HEATER	CIRCUIT	POOL	CIRCUIT	EQUIPMENT		
									CIRCUIT		CIRCUIT		CIRCUITS	CIRCUITS		
AMP RATING								<u> </u>								
	E INSTALL			<u> </u>		***************************************										
NO.		SERV	ICE II	NSTALL	ATIO	ON.	AMP RATING	FEE	AMOUNT	NO.	TE	FEE	AMOUNT			
	NOT OVER 100 AMP (MAIN & SUB MAIN)						10.00			NOT OVER 50 LAMPS						
	NOT OVE	R 200 A	MP (MA	IN & SUB M	AIN)			11.00			OVER 50 AND I	NOT OVER 100		14.00		
	NOT OVE	R 400 A	MP (MA	in & sub M	(AIN)			12.00			EACH SUCCEE DECORATIVE I	7.00	,			
	NOT OVE	ER 600 A	MP (MAI	IN & SUB M	(AIN			14.00		:	BORDERS AND OR LESS SOCK	12.00				
	NOT OVE	R 800 A	MP (MA	N & SUB M	AIN)			18,00			ADDITIONAL 5	OOR FRACTION	THEREOF	7.00		
				IN & SUB)		22.00			ľ	MOTORS (FI	XED)			
				JIN & SUB I				26.00			NOT OVER 1 HI	p		6.00		
***************************************	Ì		·····			,		29.00			· · · · · · · · · · · · · · · · · · ·			7.00		
	ì			SUB MAIN)	<u></u>						NOT OVER 3 HP	•••			
	FEEDER (7.00				NOT OVER 10 H		10.00		
	EACH BR			***************************************				7.00		OVER 10 HP BUT NOT OVER 25 HP OVER 25 HP BUT NOT OVER 50 HP				14.00		
	1			CTION, CO				12.00						18.00		
	OF ILLUM	_		LIGHTING (T NOT OVER 100		28.00		
TRANSFORMERS AND GENERATORS (FI				KED)			OVER 100 HP BUT NOT OVER 150 HP			36.00						
	NOT OVER 5 KVA					10.00			OVER 150 HP B	UT NOT OVER 20	0 HP	48.00				
	OVER 5 KVA BUT NOT OVER 15 KVA					18.00			OVER 200 HP	60.00						
	OVER 15 I	KVA BU	T NOT C	VER 50 KV	A		•	36,00				MISCEL	LANEOUS			
	OVER 50 I	KVA BU	T NOT C	VER 100 K	٧A			48.00			INSTALLATION					
	OVER 100	KVA						60.00		WITHIN A BUILDING, FOR EASH 500 SQ FT OF						
			-			ARY ELECTR		22.00		FLOOR AREA OR ANY FRACTION THERE OF INSTALLATION OF UNDERGROUND CONDUITS,				20.00		
						SITE OR BUI		20.00		1						
						LE POWER PO		20.00		RACEWAYS & CABLE OUTSIDE A BUILDING, THE FIRST 50 FT OF CONDUIT AND RACEWAY				20.00		
						ON TO ANOTE		20.00				ITION FT OF UNI		20.00		
						EVENTS, RAL	1	60.00		CONDUITS, RACEWAYS & CABLE THEREOF				1.00		
	PERMIT T	D 4375E1	D FFF		,			50.00			INSTALLATION, REPAIR OR FOR WORK WHICH A PERMIT IS REQUIRED BUT FOR WHICH NO FEE IS HEREIN PROVIDED					
	· · · · · · · · · · · · · · · · · · ·			NERGY S	יעכיז	TM		00.00			III.CEIVI ROVI	<u> </u>		20.00		
	PHOTO	AOPI	AIC EI	VERG1 2	131	ENV			<u></u>					<u>.</u>		
OTHER	INSTAL	LATIC	ON:					20.38 248 B 20.00 (1880 (10.00			·····	SUB TOTAL	L: \$			
												PENALTY FI	CND. 4			
/ HEDEDY	LOUNGIN	(EDCE	TOTAL A CO. CO.	IC DEODS	A TT()	N CREEN AD	OVE IS CORRECT	C AND ACORD T	O COMBI V WI	ED ALL COL	INTV OF	(DOUBLE FE				
							SEPARATE SHEE			IN ALL COU	JATE OF		_			
												\$15.00 EACH ISSUING FEI				
PRINT	((CONTI	RACTO	OR)		ÌN	FOF	<u>አ</u> ተለተ	ICTNP.	NLA	PHONE					
SIGNATURE DATE FEE RECEIVED:																
REQUIRED AT THIS TIME NUMBER HSE:																
PRINT	(E	ELECT	RICIA	N)				LIC. NO]	PHONE		_		_ _	
Δ DDD ()	TED: DI	II DIN	IG OF	ICIAI O	D AT	THOPIZE	ED AGENT .					LEKIMI I MOL	MBER TEMP:_		······································	
						PLICANT	. 1844-						**			

COUNTY OF KAUAI PLUMBING PERMIT APPLICATION

	For Application To Fill		70NE	GPC	DIAT	DARCEL	I I DIVE	Dicenton	
	roi Application 10 Fm	di .	ZONE	SEC	PLAT	PARCEL	UNIT	DISTRICT	
OWNER/TEN				<u> </u>			·		
PROJECT AD	DRESS	General Contractor							
		OCHANICAL CONTRACTOR C	Building Permit No. Date						
	ACITAMS (ACTOR) PARTION	Lic. No.		upancy or Us		71.00 · · · · · · · · · · · · · · · · · ·	<u>u</u>		
OTHER			() Addition		tion () Rep				
ADDRESS	REQUIRED ATT	HS TIME	() Cessp	ool ()S	ewer ()	Septic Syster	n		
PLUMBER		Lic. No.	P Throngs						
	SANITARY AND WATER S	ystėm							
NUMBER	ITEM	FEE	NUMBER	l	TEM			FEE	
	Bathtubs	@\$7.00		Water Supply		ali,	@\$7.00_		
	Clotheswashers	@\$7.00	71	Alter, or Rep					
	Dishwashers	@\$7.00	li	Water Treatin					
	Drinking Fountains Floor Drains	@\$7.00		Building Sew			@\$20.00_	Opposite the second	
	Floor Drains Floor Sinks	@\$7.00 @\$7.00	11	Alteration, A and Repair of					
	Garbage Disposers	@\$7.00	lf	drainage syst		_			
	Grease Interceptors	@\$15.00	}	drain and sew		ist Ju it of			
	Interceptors;Sand, Dirt	@\$15.00	11			:J	@\$2.00		
	Laundry Trays	@\$7.00 	1	Each addition and sewer line		un sua	@\$2.00_		
**************************************	Showers	•••••••	1						
	Sinks	@\$7.00 @\$7.00	-	FUEL GAS			Q015 00		
	•		11	For Each Gas			@\$15.00_		
	Sinks, Bar	@\$7.00	II .	Alteration, Ac		oairs to			
	Sinks, Service	@\$7.00	fi .	Piping System					
~	Sumps	@\$7.00	If	Miscellaneou					
	Urinals	@\$7.00	11	For Each G	as Applicati	on			
	Wash Basins	@\$7.00		Oryers			@\$7.00		
	Water Closets	@\$7.00	1	Hose Cocks			@\$7.00_		
	Bidets	@\$7.00	<u> </u>	Ovens			@\$7.00_		
	·	@\$7.00		Ranges Vents			@\$7.00		
	For Each Lawn Sprinkler System	@\$15.00		vents Water Heaters	:		@\$7.00 @\$7.00		
	on Any One Value Including		[Controlled Ou			@\$7.00		
	Backflow Protection Devices		E	Barbecue Gril	ls		@\$7.00		
	Vacuum Breakers or Backflow	@\$15.00	ľ	MEDICAL G	AS PIPING				
	Protective Devices Installed	**************************************	F	or The First l	Five inlet(s)	r	@\$15.00		
	Subsequent to the Installation			utlet(s) for a					
	of Piping Equipment Served		1	or Each Addi		r	@\$2.00		
	For Each Vacuum Breakers or	@\$7.00	H	utlet or fracti					
	Backflow Protective Devices Installed to Hosebibbs		<u> </u>	OUNDATIO	DN				
	Solar Water Heater	. @\$7.00	F	or The First 1	O Plumbina l	Sivtures	@\$15.00		
	Electric, Oil or Gas Water Heater	@\$7.00		or Each Addi			@\$13.00 		
	and/or vent		*****	ixture	I IUIIIO	ʊ	₩¥£100	, ,	
	Swimming Pool With Drainage	@\$15.00	1						
	Connection		п	NVESTIGAT	ION FEE	. (2\$200.00		
	Solar Heater Energy System	•	(0	COMBINED	MINIMUM (
.,				ERMIT ISSU		Ť		\$15.00	
NOTES TO APPLIC	ANT:	o province and a second contract of the second of the seco							
POST PERMIT PLA	CARD ON SITE OF WORK, THIS PERMIT EXP	IRES IF WORK IS NOT			TOTA	L FEE:			
STARTED WITHIN	180 DAYS OF DATE OF ISSUANCE, OR IF WO	RK IS SUSPENDED OR	THEREBY ACK	NOWLEDGE TH	IAT I HAVE REA	AD THIS APPLI	CATION AND S	TATE THAT	
ABANDONED FOR	180 DAYS.		THE ABOVE IS	CORRECT AND	AGREE TO C	OMPLY WITH A	LL COUNTY O	FKAUAI	
PERMITTEE IS HEF	REBY AUTHORIZEDTO INSTALL THE ABOVE F	LUMBING WORK, IN	ORDINANCES /	_				-	
ACCORDANCE WIT	TH PROVISIONS OF THE PLUMBING CODE.			11.15		TIM	NOT		
				INFC	JKIVIA	MON	NOT		
		<u>.</u>	Signature	iii actori)	DEN	AT TE	MC 124	A/C	
COUNTY ENGINE	ER OR HIS AUTHORIZED AGENT	DATE	, r		ハロロ	~ і ІГ	1105 11	IVIL	
		ļ	Signature (Plu	ımber)			Da	te	
FEE RECEIVED		DATE	- ,	•					
		,		Pei	rmit No.		, *,		